

L Number	Hits	Search Text	DB	Time stamp
-	18	((integrated near3 circuit near3 design) or (IC near3 design) or (semiconductor near3 device)) and module and (wir\$3 near3 layer) and ((horizontal and vertical and diagonal) near3 direction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 14:37
-	1	((integrated near3 circuit near3 design) or (IC near3 design) or (semiconductor near3 device)) and module and (wir\$3 near3 layer near3 (multipl\$3 or plural\$3)) and ((horizontal and vertical and diagonal) near3 direction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 16:01
-	1	((integrated near3 circuit near3 design) or (IC near3 design) or (semiconductor near3 device)) and module and (wir\$3 near3 layer near3 (multipl\$3 or plural\$3 or multilayer or (mult\$3 near3 layer))) and ((horizontal and vertical and diagonal) near3 direction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 16:06
-	15	((integrated near3 circuit near3 design) or (IC near3 design) or (semiconductor near3 device)) and module and ((mult\$3 or plural\$3) near3 layer) and ((horizontal and vertical and diagonal) near3 direction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 16:31
-	17	((integrated near3 circuit) or IC or semiconductor) and module and ((mult\$3 or plural\$3) near3 layer) and ((horizontal and vertical and diagonal) near3 direction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 16:39
-	1236	((integrated near3 circuit) or IC or semiconductor) and module and ((mult\$3 or plural\$3) near3 layer) and ((five or fifth) near3 layer) ((horizontal and vertical and diagonal) near3 direction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 16:42
-	366	((integrated near3 circuit) or IC or semiconductor) and module and ((mult\$3 or plural\$3) near3 layer) and ((five or fifth) near3 layer) ((horizontal and vertical and diagonal) near3 direction) and (gridless near3 non near3 manhattan)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 16:44
-	2	((integrated near3 circuit) or IC or semiconductor) and module and ((mult\$3 or plural\$3) near3 layer) and ((five or fifth) near3 layer near3 metal near3 wir\$3) ((horizontal and vertical and diagonal) near3 direction) and (gridless near3 non near3 manhattan) and orthogonal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/22 16:49
-	366	((integrated near3 circuit) or IC or semiconductor) and module and ((mult\$3 or plural\$3) near3 layer) and ((five or fifth) near3 layer) ((horizontal and vertical and diagonal) near3 direction) and (gridless near3 non near3 manhattan) and orthogonal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 08:23
-	0	((integrated near3 circuit) or IC or semiconductor) and module and ((mult\$3 or plural\$3) near3 layer) and ((five or fifth) near3 layer) and ((horizontal and vertical and diagonal) near3 direction) and (gridless near3 non near3 manhattan) and orthogonal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 08:24
-	15	((integrated near3 circuit) or IC or semiconductor) and module and ((mult\$3 or plural\$3) near3 layer) and ((five or fifth) near3 layer) and ((horizontal and vertical and diagonal) near3 direction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/23 08:52
-	148	((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 10:10

-	2	(((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and gridless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 15:42
-	19	(((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and manhattan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 15:43
-	19	(((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and manhattan and layers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/18 17:11
-	2	(manhattan same gridded) and layers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 07:44
-	74	(manhattan and grid\$4) and (metal near3 layer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 07:45
-	51	(manhattan and grid\$4) and (metal near3 layer) and (first near3 layer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 07:46
-	36	(manhattan and grid\$4) and (metal near3 layer) and (first near3 layer) and (fourth near3 layer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 09:21
-	13	(((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and manhattan and layers and ((manhattan and grid\$4) and (metal near3 layer) and (first near3 layer) and (fourth near3 layer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 09:29
-	7	(((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and manhattan and layers and ((manhattan and grid\$4) and (metal near3 layer) and (first near3 layer) and (fourth near3 layer)) and pitch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 09:06
-	9	(((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and manhattan and layers and pitch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 09:15
-	15	(((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and (manhattan or grid\$4) and (metal near3 layer) and (first near3 layer) and (fourth near3 layer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 09:23
-	9	(((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and manhattan and layers and pitch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 11:34

-	0	((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and manhattan and layers and ((first near3 layer) near3 horizont\$3) and ((second near3 layer) near3 vertic\$3) and ((third near3 layer) near3 diagon\$3) and ((fourth near3 layer) near3 diagon\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 11:45
-	0	((first near3 layer) near3 horizont\$3) and ((second near3 layer) near3 vertic\$3) and ((third near3 layer) near3 diagon\$3) and ((fourth near3 layer) near3 diagon\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 11:38
-	0	((first near3 layer) near3 horizont\$3) and ((second near3 layer) near3 vertic\$3) and ((third near3 layer) near3 diagon\$3) and ((fourth near3 layer) near3 diagon\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 11:38
-	16	((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and manhattan and layers and (horizontal and vertical and diagonal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/18 17:04
-	8	((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and manhattan and layers and (layer near3 (horizontal and vertical and diagonal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 12:12
-	11	((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and manhattan and layers and (horizontal and vertical and diagonal) and @pd<=20030115	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/18 16:59
-	11	((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and manhattan and layers and (horizontal and vertical and diagonal) and @pd<=20030115	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/18 17:04
-	11	((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and manhattan and layers and (horizontal and vertical and diagonal) and @pd<=20030115	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/18 17:05
-	14	((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and manhattan and layers and @pd<=20030115	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 09:32
-	0	simulated adj1 euclidean adj1 wiring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 15:30
-	0	simulated near2 euclidean near2 wiring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 15:30
-	0	euclidean near3 wir\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 16:22

-	0	euclidean near3 wiring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 16:42
-	0	(euclidean near3 (wiring or wir\$3 or distance)) same (integrated near3 circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 16:43
-	1		USPAT; US-PGPUB	2003/04/21 16:49
-	0		USPAT; US-PGPUB	2003/04/21 16:56
-	0		USPAT; US-PGPUB	2003/04/21 16:55
-	0		USPAT; US-PGPUB	2003/04/21 16:55
-	0		USPAT; US-PGPUB	2003/04/21 16:55
-	0		USPAT; US-PGPUB	2003/04/21 16:55
-	1		USPAT; US-PGPUB	2003/04/21 16:55
-	0		USPAT; US-PGPUB	2003/04/21 16:55
-	1	20010009031.pn.	USPAT; US-PGPUB	2003/04/21 16:56
-	1		USPAT; US-PGPUB	2003/04/21 17:00
-	0	(((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and manhattan and layers and (ratio same ((first and second) near3 line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 09:35
-	0	(((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and layers and (ratio same ((first and second) near3 line))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 09:35
-	17	(((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) and layers and (ratio same length)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 14:17
-	23	(((non near3 manhattan) or nonmanhattan or diagonal) near3 wiring) same ratio) and layers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 14:18

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
RELEASE 1.4Welcome
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#) [Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 Print FormatYour search matched **91** of **936268** documents.

A maximum of **91** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.
You may refine your search by editing the current search expression or entering a new one the text b

Then click **Search Again**.**Results:**Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****1 Compliance metrics for surface mount component lead design***Kotlowitz, R.W.;*Electronic Components and Technology Conference, 1990. Proceedings., 40th ,
May 1990

Page(s): 1054 -1063 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(672 KB\)\]](#) **IEEE CNF****2 A low cross-polarization circularly polarized spacecraft TC&R antenna***Eu-An Lee;*

Antennas and Propagation Society International Symposium, 1994. AP-S. Dige

Volume: 2 , 20-24 Jun 1994

Page(s): 914 -917 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(256 KB\)\]](#) **IEEE CNF****3 Convergence of the SMI and the diagonally loaded SMI algorithms with weak interference [adaptive array]***Ganz, M.W.; Moses, R.L.; Wilson, S.L.;*

Antennas and Propagation, IEEE Transactions on , Volume: 38 Issue: 3 , Mar 1994

Page(s): 394 -399

[\[Abstract\]](#) [\[PDF Full-Text \(460 KB\)\]](#) **IEEE JNL****4 The use of reactive loading for dual-band circularly polarized characters in microstrip antennas***Slawson, S.E.; Long, S.A.;*

Antennas and Propagation Society International Symposium, 1988. AP-S. Dige
6-10 Jun 1988
Page(s): 704 -707 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(108 KB\)\]](#) **IEEE CNF**

5 Transport studies of compact torsatron reactors

Painter, S.L.; Lyon, J.F.;

Fusion Engineering, 1989. Proceedings., IEEE Thirteenth Symposium on , 2-6 C
1989

Page(s): 102 -106 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(336 KB\)\]](#) **IEEE CNF**

6 Properties of scattering matrix determination

Kozlov, A.I.; Logvin, A.I.;

Antennas and Propagation Society International Symposium, 1990. AP-S. 'Mer
Technologies for the 90's'. Digest. , 7-11 May 1990

Page(s): 569 -572 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(128 KB\)\]](#) **IEEE CNF**

7 A high image-quality LCD addressed by lateral MIM

*Takahashi, K.; Ushiki, T.; Sugiyama, J.; Ushiyama, T.; Ono, N.; Araki, T.; Kan
Aruga, H.; Oguchi, K.;*

Display Research Conference, 1991., Conference Record of the 1991 Internatio
15-17 Oct 1991

Page(s): 247 -250

[\[Abstract\]](#) [\[PDF Full-Text \(308 KB\)\]](#) **IEEE CNF**

8 Diagonal MOSFETs characterization for 256M DRAM and beyond

*Yin Hu; Teng, C.W.; Coleman, D.J., Jr.; Richardson, W.F.; Jiann Liu; Chi-Chien
Aur, S.;*

VLSI Technology, Systems, and Applications, 1995. Proceedings of Technical P.
1995 International Symposium on , 31 May-2 Jun 1995

Page(s): 309 -313

[\[Abstract\]](#) [\[PDF Full-Text \(280 KB\)\]](#) **IEEE CNF**

**9 Full wave analysis of HTS superconducting microstrip transmission li
using spectral-domain immittance approach**

Amora, A.I.; Ghali, H.;

Radio Science Conference, 1996. NRSC '96., Thirteenth National , 19-21 Mar 1

Page(s): 149 -156

[\[Abstract\]](#) [\[PDF Full-Text \(344 KB\)\]](#) **IEEE CNF**

10 Medical ultrasound image compression using multiresolution decomposition and vector quantization

Xiang, S.H.; Zhang, Y.T.;

Engineering in Medicine and Biology Society, 1996. Bridging Disciplines for Biomedicine. Proceedings of the 18th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, Volume: 5 , 31 Oct-3 Nov 1996

Page(s): 2220 -2221 vol.5

[\[Abstract\]](#) [\[PDF Full-Text \(204 KB\)\]](#) **IEEE CNF**

11 Advances in amorphous silicon technology for LCDs

Tsukada, T.;

Electron Devices Meeting, 1997. Technical Digest., International , 7-10 Dec 1997

Page(s): 531 -534

[\[Abstract\]](#) [\[PDF Full-Text \(252 KB\)\]](#) **IEEE CNF**

12 An efficient fractal image compression method

Huaqiu Deng; Wenhua Weng; Li Li; Yinglin Yu;

Systems, Man, and Cybernetics, 1997. 'Computational Cybernetics and Simulation'. Proceedings of the 1997 IEEE International Conference on Systems, Man, and Cybernetics, Volume: 5 , 12-15 Oct 1997

Page(s): 4204 -4206 vol.5

[\[Abstract\]](#) [\[PDF Full-Text \(280 KB\)\]](#) **IEEE CNF**

13 Adaptive target detection across a clutter boundary: GLR and maximum likelihood invariant detectors

Hyung Soo Kim; Hero, A.O.;

Image Processing, 2000. Proceedings. 2000 International Conference on Image Processing, 2000

Page(s): 681 -684 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(352 KB\)\]](#) **IEEE CNF**

14 Improved image reconstruction from sensitivity-encoded data by wavelet denoising and Tikhonov regularization

Zhi-Pei Liang; Bammer, R.; Jim Ji; Pelc, N.J.; Glover, G.H.;

Biomedical Imaging, 2002. Proceedings. 2002 IEEE International Symposium on Biomedical Imaging, 2002

Page(s): 493 -496

[\[Abstract\]](#) [\[PDF Full-Text \(368 KB\)\]](#) **IEEE CNF**

15 Ultra-thin, high-resolution, flexible electronic ink displays addressed a-Si active-matrix TFT backplanes on stainless steel foil

Chen, Y.; Au, J.; Kazlas, P.; Ritenour, A.; Gates, H.; Goodman, J.;

Electron Devices Meeting, 2002. IEDM '02. Digest. International , 2002

Page(s): 389 -392

[\[Abstract\]](#) [\[PDF Full-Text \(358 KB\)\]](#) **IEEE CNF**

1 2 3 4 5 6 7 [\[Next\]](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2003 IEEE — All rights reserved